

CERTIFICATE OF CALIBRATION

GATSO

Radar 24 antenna
GS11 camera
Decision Unit
FIP Scope

Serial number set: 881
Object code set: 201505000437
Object code: 201505000391
Object code: 201504002136
Object code: 201505000454
Object code: 201504002090

Date from: 30 June 2015

Date to: 29 June 2016

I, the undersigned certify that the above GATSO equipment has been calibrated using equipment traceable to the national or international standards. The GATSO equipment complies with the terms of the specification for Type Approval and has been tested to the standard and conforms to the Speedmeter handbook fourth edition.

The below table shows the equipment used for measuring and testing:

| GatsolD | Description | Serial number | Type |
|---------|---|---------------|-----------|
| 1266 | Microwave Frequency Counter | US 40490167 | 53149 A |
| 1511 | Microwave Frequency Counter | US 40490255 | 53149A |
| 1512 | Microwave Power Sensor | MY 41091602 | 8485A |
| 1513 | Microwave Power Sensor | MY 41091601 | 8485A |
| 1517 | Mechanical turn table | P 6963C | PHVD-160 |
| 1520 | Mechanical turn table | P-8654-C | PHVD 160 |
| 1267 | Microwave Frequency Counter | 2038 | 546 A |
| 1335 | CombiScope 60MHz | DM 732004 | PM 3370B |
| 1349 | Function Generator | LO 784009 | PM 5136 |
| 1380 | Function Generator | LO 652428 | PM 5158 |
| 1339 | CombiScope 60MHz | DM 777007 | PM 3370B |
| 1289 | Handheld DMM | 80280081 | Fluke 175 |
| 1383 | Handheld DMM | 93100161 | Fluke 175 |
| 3101 | Signal interface | 181 | EAC |
| 3102 | Signal interface | 190 | EAC |
| 1378 | Timer / Counter / Analyzer Programmable | SM 677115 | PM 6681 |
| 1397 | Timer / Counter / Analyzer | SN983874 | PM 6690 |

All components replaced are the same as those type approved.

The interval time used for the secondary check time was found to be within the required tolerances as required in the Speedmeter handbook fourth edition.

GATSO's quality management system meets the requirements of ISO 9001:2008 for the application area of development, design, manufacturing, sales, calibration and maintenance of traffic enforcement products.

All measurement devices are controlled according to procedure O.05.00 (Management of the measurement devices) as stated in the GATSO ISO 9001:2008 procedure handbook.

Signed for and on behalf of
Gatsometer BV:

Date: 30 June 2015

Th.M. Janssen
Senior Advisor